





SAFETY FOOTWEAR

Our new catalogue "Safety Footwear" includes many great items for the 2010 season.

The "sneakers light" line, which comprises ultralight shoes with breathable aluminium toe caps and "racing" outsoles, has been supplemented with five new models; three of them are fitted with high uppers and are reminiscent of motor racing drivers' footwear in their design.

The brand-new, state-of-the-art "manager" style line includes three models synonymous with innovative, captivating design as well as the fresh, "sporty" model made of denim and suede.

The basic trekking line has been remade, with changed colours and comfort for the four models, made of waterproof suede and thus S3 certified, a fundamental requirement for use in building and similar categories.

As for the "Heavy Duty" line, models 7290AKK and 7291AKK are back, with thoroughly changed design and technical particulars, made of the best commercially available materials.



WORKWEAR

Our workwear line for the next season includes some major new items.

As for winter, the new garments range from the waterproof two-coloured "ripstop" bomber jacket to the black brushed Oxford model and the brand-new Canadian-style parka jacket, made of grey printed twill.

The new sweatshirt line can boast two different types of logos, directly embroidered on the garments.

In addition, we have introduced two new comprehensive work lines, made of 100% cotton, 260 g/m², in modern colours and simple though durable, functional finishes.

The collection includes the new, colourful t-shirts available with two different types of logos, simple, functional garments for use, for example, for promotional purposes.



TECHNICAL SOCKS

We at Beta Utensili have supplemented our safety footwear collection with a range of technical socks: eight models designed to provide remarkable comfort and unparalleled sensitivity.

Our technical socks are meant to guarantee long-term softness and elasticity, while being synonymous with carefully selected materials and accurate design

SAFETY STANDARDS

HOW TO CHOOSE SAFETY FOOTWEAR

Make sure that the footwear matches the required protection class, according to type and workplace. Below you will find European reference standards, including any and all additional specifications.

EUROPEAN STANDARDS (EN)

EN ISO 20344: Test methods and general requirements.

EN ISO 20345: Safety footwear with toe caps resistant to shocks up to 200 Joules.

EN ISO 20346: Protective footwear with toe caps resistant to shocks up to 100 Joules.

EN ISO 20347: Occupational footwear, no toe caps required.

EN ISO 20345: The footwear that complies with this norm is marked with the letter "S" (Safety) The letter "S" is followed by letters and/or numbers indicating the protection class the footwear belongs to.

SB Minumum requirements:

200 Joule toe cap.

Upper made from split leather or the like.

Minimum upper height.

S1 SB characteristics supplemented with the following:

Antistatic footwear (A).

Energy absorption in the heel region (E).

Closed back. (Low shoes as well)

Antislip UNI EN ISO 20345:2004/A1:2007.

Method in accordance EN13287:2004

- **S2** S1 characteristics supplemented with the following: Waterproof upper, no water penetration for al least 1h (WRU).
- **S3** S2 characteristics supplemented with the following: Penetration proof insole or inset (P). Gripped outsole.
- **S4** S1 characteristics supplemented with the following: Hydrocarbon proof outsole (ORO).
- **S5** S4 characteristics supplemented with the following: Penetration proof insole or inset (P). Gripped outsole.
- **EN ISO 20346:** These shoes are basically the same as safety footwear. However, since they have 100 Joule toe caps, they are marked with the letter "P" (Protective). Hence they are defined as protective footwear.

They are used in workplace environments requiring no more than 100 Joule protection.

EN ISO 20347: These shoes do not have any protective toe caps and are marked with the letter "O" (Occupational); hence they are considered occupational footwear.

Footwear expected to meet any additional requirements shall carry the following identification letters:

Identification Code	Additional Requirements and Safety Standards	EN 20345	SB	S1	S2	S3	S4	S5
		EN 20346	_	P1	P2	Р3	P4	P5
		EN 20347	_	01	O2	_	_	_
Α	Antistatic footwear		_				4	
E	Energy absorption in the heel region		_					
WRU	Dynamic water resistant upper		_	_				
Р	Penetration proof inset		_	_	_			
CI	Cold insulation		_	_	_			
HI	Heat insulation		_	_	_	_	_	
HRO	Heat resistant outsole		_	_	_	_	_	
ı	Electrical insulation (Dielectrics)		_	_	_	_	_	
CR	Cut resistant upper		_	_	_	_	_	
FO/ORO	Hydrocarbon proof outsole, always compulsory in EN 20345 - 20347 to specify in EN 20346					•		
SRC	Antislip EN 13287:2007			_				_



Compulsory requirement

OPTIONAL REQUIREMENT

The foregoing is printed on a label inside the footwear





TO MAKE IT EASIER TO IDENTIFY BOTH THE INNOVATIVE MATERIALS USED AND THE TECHNICAL SPECIFICATIONS, REFER TO THE TWO TABLES BELOW:



Penetration proof midsole or inset



Steel or plastic toe cap



Antistatic Footwear



Energy absorption in the heel region



Oil, hydrocarbon and solvent proof outsole







Heat resistance of outer sole (300 °C/min.)

EN 20345-20347

Footwear complying with new safety standards 2004-2007

SAS SYSTEM

Progressive compression absorbing system at bottom back

3D LINING

Three-dimensional multi-ply lining, highly breathable, remarkably absorbing and desorbing, lastingly abrasion resistant

PENETRATION PROOF INSOLE

- · Steel: made of elastic steel, lightweight, flexible
- Composite: penetration proof insole made of tenacious multi-ply composite fibre resulting from ceramic treatment. This insole can boast the following peculiarities: 100% foot sole protection vs. 85% covering as provided by steel insoles
- Reduced overall weight and enhanced footwear flexibility
- Remarkable heat insulation, e.g. under extreme temperatures
- Cannot be detected by metal detectors

TOE CAP

- · Steel: made of hardened steel, 200 Joules
- · Aluminium: made of perforated aluminium; through a special membrane it provides ventilation, keeping the footwear waterproof, 200 Joules
- Composite: made of polymer material; it provides the same crushing and compressive strength as a metal toe cap, while weighing much less (approximately half as much); nonmagnetic, cannot be detected by metal detectors, heat insulating, hardly conductive, resistant to sudden changes in temperature, acids and hydrocarbons. 200 Joules

BODY

- 10: standard dimensions
- 10.5: slightly increased width and looser fit, ideal for use with thick socks
- 11: significantly widened body compared to standard dimensions. Recommended for demanding users

ESD

Footwear developed to allow electrostatic charges to be steadily dissipated from the body to the ground. These protection devices are absolutely required for use in contact with machines, machinery and electronic units. CAUTION! ESD footwear is not dielectric and must not be used by electricians. ESD footwear is used in the electronic industry, mainly for microcircuit applications.















10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES Antistatic, antimycotic

7240CM

EN 20345 S1 SRC

UPPER Printed, pigmented leather TOE CAP Steel, 200J **MIDSOLE** PU foam

PENETRATION PROOF INSOLE

OUTSOLE

Synthetic fibre, breathable

Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

















WIDTH

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES Antistatic, antimycotic

7241CM

EN 20345 S1P SRC

UPPER Printed, pigmented leather **TOE CAP** Steel, 200J **MIDSOLE** PU foam

LINING Synthetic fibre, breathable

PENETRATION PROOF INSOLE

OUTSOLE

Elastic steel

Compact PU with SAS

















10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES Antistatic, antimycotic

7242CM

EN 20345 S1 SRC

UPPER Printed, pigmented leather TOE CAP Steel, 200J **MIDSOLE** PU foam

PENETRATION PROOF INSOLE

OUTSOLE

LINING Synthetic fibre, breathable

NOT AVAILABLE

Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

















WIDTH

10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES
Antistatic, antimycotic

7243CM

EN 20345 S1P SRC

UPPER

TOE CAP

MIDSOLE PU foam

Printed, pigmented leather

Steel, 200J

Elastic steel

Synthetic fibre, breathable

OUTSOLE Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

PENETRATION PROOF INSOLE



















10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES

- Quick opening system, "trekking"
- Antistatic, antimycotic

7244CM

EN 20345 S1P SRC

UPPER Printed, pigmented leather TOE CAP Steel, 200J **MIDSOLE** PU foam

LINING

PENETRATION PROOF INSOLE

OUTSOLE

Synthetic fibre, breathable

Elastic steel

Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

















WIDTH

10,5

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Front leather protection with strap fastening
- Antistatic, antimycotic

7245CM

EN 20345 S1P SRC

Printed, pigmented leather

TOE CAP Steel, 200J **MIDSOLE** PU foam

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE Elastic steel

OUTSOLE Compact PU with SAS

















10,5

AVAILABLE SIZES

EU: 35-48 UK: 2,5-13

SPECIAL NOTES

- Metal free Antistatic, antimycotic

7200NKK

EN 20345 S3 SRC

UPPER

Full-grain leather, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH 10,5

AVAILABLE SIZES

EU: 35-48 UK: 2,5-13

SPECIAL NOTES

- Metal free
- Antistatic, antimycotic

7201NKK

EN 20345 S3 SRC

UPPER

Full-grain leather, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

















11

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES

- Wide bodyAntistatic, antimycotic

7205NPK

EN 20345 S3 SRC

UPPER

Full-grain leather, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Perforated aluminium, with breathable membrane, 200J

PENETRATION PROOF INSOLE Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Wide body
- Antistatic, antimycotic

7206NPK

EN 20345 S3 SRC

UPPER

Full-grain leather, waterproof

Multi-ply, with 3D air tunnels

TOE CAP

Perforated aluminium, with breathable membrane, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS





















10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES Antistatic, antimycotic

7203N

Multi-ply, with 3D air tunnels

EN 20345 S1P SRC

UPPER Printed, pigmented leather

TOE CAP Steel, 200J

PENETRATION PROOF INSOLE

Elastic steel

MIDSOLE PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic













WIDTH 10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13 **SPECIAL NOTES** Antistatic, antimycotic





7204N

EN 20345 S1P SRC

UPPER Printed, pigmented leather TOE CAP Steel, 200J

MIDSOLE PU foam

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE Elastic steel

OUTSOLE Compact PU with SAS















10,5

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES

- Quick opening system, "trekking"
- Ántistatic, antimycotic

7201N

EN 20345 S3 SRC

UPPER

Full-grain leather, waterproof

Multi-ply, with 3D air tunnels

TOE CAP Steel, 200J

PENETRATION PROOF INSOLE

Elastic steel

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH 10,5

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Quick opening system, "trekking"
- Antistatic, antimycotic

7202N

EN 20345 S1P SRC

UPPER Printed, pigmented leather

Multi-ply, with 3D air tunnels

TOE CAP Steel, 200J

PENETRATION PROOF INSOLE

Elastic steel

MIDSOLE

PU foam

OUTSOLE Compact PU with SAS



Special high-grip, durable (300 °C with 1 minute contact) nitrile rubber outsoles directly mounted on the uppers mean the main hallmark of these four pairs of shoes. Hence these shoes are ideal for use during any jobs subject to high abrasion, e.g. in roadworking and shipbuilding, earth moving, welding and heavy-duty carpentry. In addition, they are recommended for use in geographical areas subject to humidity (where average daily humidity exceeds 75%) - that is, where shoes with polyurethane outsoles should not be used.

















WIDTH

10

AVAILABLE SIZES EU: 39-47 UK: 6-12

SPECIAL NOTES

- Claw outsole, contact heat resistant, durable, high-grip
- Antistatic, antimycotic

7207R

EN 20345 S1 HRO SRC

UPPER Printed, pigmented leather

TOE CAP Steel, 200J

MIDSOLE NOT AVAILABLE

Polyester jersey, breathable

PENETRATION PROOF INSOLE

OUTSOLE

NOT AVAILABLE

Nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

AVAILABLE SIZES EU: 39-47 UK: 6-12

SPECIAL NOTES

- Claw outsole, contact heat resistant, durable, high-grip
- Antistatic, antimycotic

7207RK

EN 20345 S3 HRO SRC

UPPFR

Full-grain leather, waterproof

Polyester jersey, breathable

TOE CAP Steel, 200J **MIDSOLE** NOT AVAILABLE

LINING

PENETRATION PROOF INSOLE

OUTSOLE

Multi-ply composite fibre insole, ceramic

Nitrile rubber, heatproof

treatment

















10

AVAILABLE SIZES EU: 39-47 UK: 6-12

SPECIAL NOTES

- Claw outsole, contact heat resistant, durable, high-grip
- Antistatic, antimycotic

7208R

EN 20345 S1 HRO SRC

UPPER Printed, pigmented leather TOE CAP Steel, 200J

MIDSOLE

LINING

NOT AVAILABLE

Polyester jersey, breathable

PENETRATION PROOF INSOLE NOT AVAILABLE

OUTSOLE Nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic















WIDTH

10

AVAILABLE SIZES EU: 39-47 UK: 6-12

SPECIAL NOTES

- Claw outsole, contact heat resistant, durable, high-grip
 - Antistatic, antimycotic

7208RK

EN 20345 S3 HRO SRC

UPPER

Full-grain leather, waterproof

Polyester jersey, breathable

TOE CAP Steel, 200J

MIDSOLE NOT AVAILABLE

LINING

PENETRATION PROOF INSOLE Multi-ply composite fibre insole, ceramic OUTSOLE

treatment

Nitrile rubber, heatproof



















10,5

AVAILABLE SIZES EU: 35-48 UK: 2,5-13

SPECIAL NOTES Antistatic, antimycotic

7210N

EN 20345 S1P SRC

UPPER Microperforated suede **TOE CAP**

MIDSOLE PU foam

LINING

Steel, 200J PENETRATION PROOF INSOLE

OUTSOLE

Multi-ply, with 3D air tunnels

Elastic steel

Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

















WIDTH

10,5

AVAILABLE SIZES EU: 35-48 UK: 2,5-13

SPECIAL NOTES Antistatic, antimycotic

7210N/A

EN 20345 S1P SRC

UPPER

Microperforated suede, with reflex inset

TOE CAP Steel, 200J MIDSOLE

LINING

PENETRATION PROOF INSOLE

PU foam OUTSOLE

Multi-ply, with 3D air tunnels

Elastic steel

Compact PU with SAS















10,5

AVAILABLE SIZES EU: 35-48 UK: 2,5-13

SPECIAL NOTES Antistatic, antimycotic

7211N

EN 20345 S1 SRC

UPPER

TOE CAP

MIDSOLE

Microperforated suede

Steel, 200J

PU foam

LINING Multi-ply, with 3D air tunnels PENETRATION PROOF INSOLE NOT AVAILABLE

OUTSOLE Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

I Para















WIDTH

10,5

AVAILABLE SIZES EU: 35-48 UK: 2,5-13

SPECIAL NOTES Antistatic, antimycotic

7211N/A

EN 20345 S1 SRC

UPPER

Microperforated suede con inserto reflex

TOE CAP

MIDSOLE

Steel, 200J

PU foam

LINING

PENETRATION PROOF INSOLE

Multi-ply, with 3D air tunnels

NOT AVAILABLE

OUTSOLE Compact PU with SAS

















10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTES

- Strap fastening
- Antistatic, antimycotic

7216N

EN 20345 S1P SRC

UPPER Microperforated suede TOE CAP Steel, 200J

MIDSOLE PU foam

LINING

PENETRATION PROOF INSOLE

OUTSOLE

Multi-ply, with 3D air tunnels

Elastic steel

Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

















WIDTH

10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTES

- Strap fastening
- Antistatic, antimycotic

7216N/A

EN 20345 S1P SRC

UPPER Microperforated suede

TOE CAP Steel, 200J

MIDSOLE PU foam

LINING

PENETRATION PROOF INSOLE

OUTSOLE

Multi-ply, with 3D air tunnels

Elastic steel

Compact PU with SAS

Beta WORK

















WIDTH

10,5

AVAILABLE SIZES EU: 35-48 UK: 2,5-13

SPECIAL NOTES
Antistatic, antimycotic

7246CM

Multi-ply, with 3D air tunnels

LINING

EN 20345 S1P SRC

UPPER TOE CAP
Microperforated suede Steel, 200J

PENETRATION PROOF INSOLE

Elastic steel

MIDSOLE PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER CARBON, microperforated felt

















WIDTH

10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTESAntistatic, antimycotic

7285NK

EN 20345 S1P SRC

UPPERMicroperforated suede

TOE CAP Steel, 200J MIDSOLE PU foam

Microperforated suede
LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

OUTSOLE

Elastic steel

Compact PU with SAS

TU BELLIULL



This special section comprises so-called "white" footwear, notably shoes suitable for hygienic/sanitary, agricultural/food, chemical/pharmaceutical and hotel use. Its hallmarks include a special outsole made of single-density polyurethane, which results in enhanced comfort while walking and reduced stress at the lower limbs for those who have to stand for several hours while working. Remarkable longitudinal and transverse outsole grip – for example, on greasy, wet surfaces – is the result of peculiar design.



WIDTH

10,5

AVAILABLE SIZES

EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Metal free
- Lorica® is an innovative material: it is structurally similar to animal leather, while boasting such technical hallmarks as breathability, waterproofness, durability and ease of cleaning to a much higher extent. It can be cleaned with water and neutral soap.
- High cross and longitudinal grip outsole.
- Antistatic, antimycotic

7225WK

EN 20345 S2 SRC

UPPER

Lorica®, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE

Single-density PU

OUTSOLE

Single-density PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic



WIDTH

10,5

AVAILABLE SIZES

EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- High cross and longitudinal grip outsole.
- Antistatic, antimycotic

7227WK

EN 20345 S1 SRC

UPPER

Polyurethane microfibre, with airnet insets, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE

Single-density PU

OUTSOLE

Single-density PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic















10,5

AVAILABLE SIZES

EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Metal free
- High cross and longitudinal grip outsole.
- Antistatic, antimycotic

7226WK

EN 20345 S1 SRC

UPPFR

Polyurethane microfibre, with synthetic Oxford insets, waterproof

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE

Single-density PU

OUTSOLE

Single-density PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic















WIDTH

10,5

AVAILABLE SIZES

EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Metal free
- High cross and longitudinal grip outsole.
- Antistatic, antimycotic

7228NWK

EN 20345 S2 SRC

UPPFR

Polyurethane microfibre, with synthetic jersey insets, waterproof

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE

Single-density PU

OUTSOLE

Single-density PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic













10,5

AVAILABLE SIZES

EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- High cross and longitudinal grip outsole.
- Antistatic, antimycotic

7229WK

EN 20345 S2 SRC

Polyurethane microfibre, waterproof

LINING

Multi-ply, with 3D air tunnels

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE

Single-density PU

OUTSOLE

Single-density PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic















7328B

EN 20345 S4 SRC

Nitrile PVC

LINING

Synthetic jersey, antiallergenic

MIDSOLE

NOT AVAILABLE

TOE CAP Steel, 200J

PENETRATION PROOF INSOLE

NOT AVAILABLE

OUTSOLE

Claw nitrile PVC

UNDERFOOT COVER Polyester, with antiallergenic jersey

WIDTH

10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Resistant to animal fats, vegetable oils and chemical agents (ISO 6110 - ISO 6112)
- Antistatic, antimycotic









TOE CAP Steel, 200J

Elastic steel

OUTSOLE



PENETRATION PROOF INSOLE





EN 20345 S5 SRC

Claw nitrile PVC UNDERFOOT COVER Polyester, with antiallergenic jersey

WIDTH

10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Resistant to animal fats, vegetable oils and chemical agents (ISO 6110 ISO 6112)
- Antistatic, antimycotic











PENETRATION PROOF INSOLE







EN 20345 S5 SRC

Elastic steel OUTSOLE

TOE CAP Steel, 200J

Claw nitrile PVC

UNDERFOOT COVER Polyester, with antiallergenic jersey

WIDTH

10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Resistant to animal fats, vegetable oils and chemical agents (ISO 6110 - ISO 6112)
- Antistatic, antimycotic





















TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

EN 20345 S3 SRC

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

WIDTH

10,5

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Metal free
- Antistatic, antimycotic















EN 20345 S3 SRC

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

WIDTH

10,5

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES


- Metal free
- Antistatic, antimycotic







Sneakers have grown into a custom and style phenomenon. As a result, this trend has also had an impact on safety footwear. Hence Beta Utensili has developed this line, which comprises 14 models: shoes mounted with special, low-profile, high-performance rubber outsoles. This hallmark translates into aesthetically appealing and captivating shoes, thus bringing the safety world increasingly close to fashion, without affecting technical performance in relation to flexibility, width, comfort as well as resistance to abrasions, heat and hydrocarbons.



WIDTH

10.5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Free time model
- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7340R

EN 20347 01 HRO-FO

UPPER

Soft suede

LINING

Multi-ply, with 3D air tunnels

TOE CAP **NOT AVAILABLE**

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic



WIDTH

10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Free time model
- Contact heat resistant outsole
- Antistatic, antimycotic

7341R

EN 20347 01 HRO-FO

UPPER Soft suede, with synthetic Oxford insets

TOE CAP NOT AVAILABLE

MIDSOLE NOT AVAILABLE

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE NOT AVAILABLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

OUTSOLE

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7342RKK

EN 20345 S1P HRO SRC

UPPER

Soft suede

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment


MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Contact heat resistant outsole
- Antistatic, antimycotic

7343RKK

EN 20345 S1P HRO SRC

Soft suede, with synthetic Oxford insets

LINING

Multi-ply, with 3D air tunnels

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

















AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7342RKK/G

EN 20345 S1P HRO SRC

UPPER

Soft suede

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment


MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic



WIDTH 10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Contact heat resistant outsole

- Antistatic, antimycotic

7343RKK/G

EN 20345 S1P HRO SRC

Soft suede, with synthetic Oxford insets

LINING

Multi-ply, with 3D air tunnels

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof















AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7349RKK

EN 20345 S3 HRO SRC

UPPER

Smooth full-grain leather, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic





10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Contact heat resistant outsole

- Antistatic, antimycotic

7350RKK

EN 20345 S3 HRO SRC

Smooth full-grain leather, with synthetic Oxford insets, waterproof

LINING

Multi-ply, with 3D air tunnels

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

















10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Contact heat resistant outsole
- Antistatic, antimycotic

7344RKK

EN 20345 S3 HRO SRC

UPPER

Nubuck leather, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic







WIDTH

10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Contact heat resistant outsole
- Antistatic, antimycotic

7345RKK

EN 20345 S3 HRO SRC

Nubuck leather, with synthetic Oxford insets, waterproof

LINING

Multi-ply, with 3D air tunnels

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof



















10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

- **SPECIAL NOTES** - Metal free
- Strap fastening
- Contact heat resistant outsole
- Antistatic, antimycotic

7346RKK

EN 20345 S1P HRO SRC

Soft suede, with synthetic Oxford insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7347RKK

EN 20345 S1P HRO SRC

UPPER

Perforated suede

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE

MIDSOLE

NOT AVAILABLE

Soft nitrile rubber, heatproof

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7348RKK

EN 20345 S1P HRO SRC

Soft suede, with breathable air mesh and abrasion-proof insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

MIDSOLE

NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Metal free
- Contact heat resistant outsole
- Antistatic, antimycotic

7351RKK

EN 20345 S1P HRO SRC

Soft suede, with synthetic Oxford insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE NOT AVAILABLE

OUTSOLE

Soft nitrile rubber, heatproof



The sneakers line includes the light shoes, "sneakers light", with perforated aluminium safety toe caps which provide ventilation through a special membrane, while maintaining waterproofness. In addition, these shoes are fitted with the new low "racing" outsoles made of dual density polyurethane with treat pattern for enhanced grip. All the shoes are made with wide body 11.



WIDTH

11

AVAILABLE SIZES EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7313AK

EN 20345 S1P SRC

UPPER Suede, with mesh insets TOE CAP

MIDSOLE

Perforated aluminium, with breathable membrane, 200J

PU foam

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE Multi-ply composite fibre insole, ceramic **OUTSOLE**

Compact PU

treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

AVAILABLE SIZES

EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7313AK/B

EN 20345 S1P SRC

UPPER

LINING

Suede, with mesh insets

Multi-ply, with 3D air tunnels

Perforated aluminium, with breathable membrane,

200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

MIDSOLE

PU foam

OUTSOLE Compact PU



















11

AVAILABLE SIZES

EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7320AK

EN 20345 S3 SRC

UPPER

Suede, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Perforated aluminium, with breathable membrane, 200J

PENETRATION PROOF INSOLE

treatment

Multi-ply composite fibre insole, ceramic

OUTSOLE

MIDSOLE

PU foam

Compact PU

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

AVAILABLE SIZES EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7323AK

EN 20345 S3 SRC

UPPER

LINING

Suede, waterproof

Multi-ply, with 3D air tunnels

TOE CAP

Perforated aluminium, with breathable membrane, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE Compact PU

MIDSOLE

PU foam

Beta WORK

















WIDTH

11

AVAILABLE SIZES

EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7315AK

Multi-ply, with 3D air tunnels

LINING

EN 20345 S1P SRC

UPPER TOE CAP MIDSOLE Suede Perforated aluminium, with breathable membrane, PU foam

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic Compact PU treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic





OUTSOLE













WIDTH

11

AVAILABLE SIZES EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7324AK

EN 20345 S1P SRC

UPPER Suede **TOE CAP**

MIDSOLE

Perforated aluminium, with breathable membrane, 200J

PU foam

LININGMulti-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

OUTSOLE Compact PU

Multi-ply composite fibre insole, ceramic treatment



















11

AVAILABLE SIZES EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7316AK

EN 20345 S3 SRC

UPPER

Full-grain leather, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Perforated aluminium, with breathable membrane, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE Compact PU

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

AVAILABLE SIZES EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7325AK

Multi-ply, with 3D air tunnels

EN 20345 S3 SRC

UPPER

LINING

Full-grain leather, drummed, waterproof

TOE CAP

Perforated aluminium, with breathable membrane, 200J

MIDSOLE

PU foam

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE Compact PU





AVAILABLE SIZES EU: 36-47 UK: 3.5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7314AK

Multi-ply, with 3D air tunnels

LINING

EN 20345 S1P SRC

UPPER TOE CAP MIDSOLE Suede Perforated aluminium, with breathable membrane, PU foam

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE Compact PU

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

The ESD line shares the same characteristics as the "sneakers light" line. Footwear developed to allow electrostatic charges to be steadily dissipated from the body to the ground.

These protection devices are absolutely required for use in contact with machines, machinery and electronic units.

CAUTION! ESD footwear is not dielectric and must not be used by electricians. ESD footwear is used in the electronic industry, mainly for microcircuit applications.



WIDTH

11

AVAILABLE SIZES EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Strap fastening - Light footwear
- Wide body
- Antistatic, antimycotic

7317AK

EN 20345 S1 SRC

UPPER

Suede, with mesh insets

TOE CAP

200.1

MIDSOLE

Perforated aluminium, with breathable membrane, PU foam

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE NOT AVAILABLE

OUTSOLE

Compact PU

UNDERFOOT COVER Anatomically shaped ESD felt















AVAILABLE SIZES

EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7318AK

EN 20345 S1 SRC

UPPER TOE CAP MIDSOLE PU foam Perforated aluminium, with breathable membrane, Microperforated suede

200J

PENETRATION PROOF INSOLE **OUTSOLE** LINING Multi-ply, with 3D air tunnels **NOT AVAILABLE** Compact PU

UNDERFOOT COVER Anatomically shaped ESD felt















WIDTH

11

AVAILABLE SIZES

EU: 36-47 UK: 3,5-12

SPECIAL NOTES

- Light footwear
- Wide body
- Antistatic, antimycotic

7319AK

EN 20345 S2 SRC

Full-grain leather, drummed, waterproof

TOE CAP

MIDSOLE

Perforated aluminium, with breathable membrane, 200J

PU foam

PENETRATION PROOF INSOLE Multi-ply, with 3D air tunnels **NOT AVAILABLE**

OUTSOLE Compact PU

UNDERFOOT COVER Anatomically shaped ESD felt

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

- Antistatic, antimycotic

SPECIAL NOTES

7250NK

EN 20345 S1P SRC

UPPER

Suede, with airnet insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Steel, 200J

Multi-ply composite fibre insole, ceramic

PENETRATION PROOF INSOLE

treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Antistatic, antimycotic

7251NK

EN 20345 S1P SRC

UPPER

Suede, with airnet insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Steel, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

- Antistatic, antimycotic

SPECIAL NOTES

7254N/A

EN 20345 S3 SRC

Suede, with synthetic Oxford insets, waterproof

TOE CAP Steel, 200J **MIDSOLE**

PU foam

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

Elastic steel

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Antistatic, antimycotic

7255N/A

EN 20345 S3 SRC

Suede, with synthetic Oxford insets, waterproof

TOE CAP Steel, 200J MIDSOLE

PU foam

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

Elastic steel

OUTSOLE

Compact PU with SAS

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Antistatic, antimycotic

7256N/A

EN 20345 S3 SRC

TOE CAP Steel, 200J **MIDSOLE** PU foam

Suede, with synthetic Oxford insets, waterproof

PENETRATION PROOF INSOLE

LINING Multi-ply, with 3D air tunnels

Elastic steel

OUTSOLE Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10.5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES Antistatic, antimycotic

7257N/A

EN 20345 S3 SRC

Suede, with synthetic Oxford insets, waterproof

TOE CAP Steel, 200J

Elastic steel

MIDSOLE

PU foam

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

OUTSOLE

Compact PU with SAS

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES - Antistatic, antimycotic

7263NK

EN 20345 S3 SRC

UPPER

Suede, with stark abrasion-proof insets, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Steel, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

treatment

MIDSOLE

PU foam

OUTSOLE Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES - Antistatic, antimycotic

7264NK

EN 20345 S3 SRC

UPPER

Suede, with stark abrasion-proof insets, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Steel, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE

MIDSOLE

PU foam

Compact PU with SAS

















10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTES

- Strap fasteningAntistatic, antimycotic

7333NKK

EN 20345 S1P SRC

Suede, with abrasion-proof insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic



MIDSOLE

OUTSOLE

Compact PU with SAS

PU foam















WIDTH

10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTES

- Metal free
- Antistatic, antimycotic

7334NKK

EN 20345 S1P SRC

UPPER

Suede, with synthetic insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

Compact PU with SAS

OUTSOLE

MIDSOLE

PU foam

















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES

- Antistatic, antimycotic

7335NKK

EN 20345 S1P SRC

UPPER

Suede, with synthetic and abrasion-proof insets

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic





MIDSOLE

OUTSOLE

Compact PU with SAS

PU foam















10,5

AVAILABLE SIZES EU: 38-47 UK: 5-12

SPECIAL NOTES - Antistatic, antimycotic

7336NKK

EN 20345 S1P SRC

UPPER

Suede, with synthetic and abrasion-proof insets

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

⊌ Beta WORK





10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Free time model
- Comfortable and lightweight, suitable for free time activities or wherever certified occupational footwear is required
- Antistatic, antimycotic

7302N

EN 20347 01

UPPER

Soft suede, drummed, microperforated

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

NOT AVAILABLE

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER Real leather, with shock absorber















WIDTH

10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Antistatic, antimycotic

7302NKK

EN 20345 S1P

UPPER

Soft suede, drummed, microperforated

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic

MIDSOLE

PU foam

OUTSOLE

Multi-ply composite fibre insole, ceramic Compact PU treatment











10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Free time model
- Comfortable and lightweight, suitable for free time activities or wherever certified occupational footwear is required
- Antistatic, antimycotic

7303N

EN 20347 02

UPPER

Full-grain leather, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

NOT AVAILABLE

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER Real leather, with shock absorber

















WIDTH

10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

Antistatic, antimycotic

7303NKK

EN 20345 S3

Full-grain leather, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic



10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Free time model
- Comfortable and lightweight, suitable for free time activities or wherever certified occupational footwear is required
- Antistatic, antimycotic

7304N

EN 20347 02

UPPER

Nubuck leather, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

NOT AVAILABLE

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER Real leather, with shock absorber

















WIDTH

10.5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Antistatic, antimycotic

7304NKK

EN 20345 S3

UPPER

Nubuck leather, waterproof

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic

















AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Metal free
- Wide body
- Antistatic, antimycotic

7300CKK

EN 20345 S1P SRC

UPPER

Soft suede, with denim cloth insets

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER FUSSTATIC, activated carbon latex foam, antistatic, antimycotic

















WIDTH

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Metal free
- Wide body
- Antistatic, antimycotic

7300AKK

EN 20345 S3 SRC

UPPER

Full-grain leather, drummed, waterproof

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

Compact PU

OUTSOLE

MIDSOLE

PU foam

UNDERFOOT COVER FUSSTATIC, activated carbon latex foam, antistatic, antimycotic

















11

AVAILABLE SIZES

EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Metal free
- Wide body
- Antistatic, antimycotic

7300BKK

EN 20345 S3 SRC

Full-grain leather, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

UNDERFOOT COVER FUSSTATIC, activated carbon latex foam, antistatic, antimycotic

MIDSOLE

PU foam

OUTSOLE

Compact PU



EU: 36-48 UK: 3,5-13

- Comfortable and lightweight, suitable for free time activities or wherever certified occupational footwear is required
- Antistatic, antimycotic

7305

EN 20347 02

UPPER

Nubuck leather, waterproof

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

NOT AVAILABLE

PENETRATION PROOF INSOLE

NOT AVAILABLE

MIDSOLE

PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER Real leather, with shock absorber

















10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Antistatic, antimycotic

7307NKK

EN 20345 S3

UPPER

Soft suede, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE
Multi-ply composite fibre insole, ceramic

treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 36-48 UK: 3,5-13

SPECIAL NOTES

- Antistatic, antimycotic

7308NKK

EN 20345 S3

Printed Nubuck leather, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE Compact PU

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic, antimycotic

















WIDTH 10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTES

- Antistatic, antimycotic

7223NK

EN 20345 S3 SRC

UPPER

Nubuck leather, waterproof

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Steel, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Compact PU with SAS

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

















WIDTH

10,5

AVAILABLE SIZES EU: 35-47 UK: 2,5-12

SPECIAL NOTES - Antistatic, antimycotic

7224NK

EN 20345 S3 SRC

UPPER

Nubuck leather, waterproof

TOE CAP Steel, 200J

PU foam

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic

treatment

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

MIDSOLE

OUTSOLE

Compact PU with SAS

















11

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES

- Wide body
- Antistatic, antimycotic

7290AKK

EN 20345 S3 SRC

Full-grain leather, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE Compact PU

MIDSOLE

PU foam

UNDERFOOT COVER FUSSTATIC, activated carbon latex foam, antistatic, antimycotic

















WIDTH

11

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES

- Wide body

- Antistatic, antimycotic

7291AKK

EN 20345 S3 SRC

UPPER

Full-grain leather, drummed, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

UNDERFOOT COVER FUSSTATIC, activated carbon latex foam, antistatic, antimycotic

MIDSOLE

PU foam

OUTSOLE

Compact PU







WIDTH

10.5

AVAILABLE SIZES

EU: 38-47 UK: 5-12

SPECIAL NOTES

- Contact heat resistant outsole
- "Welder" style
- Quick opening buckle
- Antistatic, antimycotic

7311RK

EN 20345 S1P HRO SRC

UPPER

Printed, pigmented leather, with suede border

LINING

Multi-ply, with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Elastic steel

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof

UNDERFOOT COVER FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic

7327NKK

EN 20345 S3 HRO



Greased full-grain leather, with synthetic Oxford insets and heat sealed rubber band, waterproof

LINING

Thermosystem membrane, fitted with a waterproof, heat sealed, removable shoe, lined with synthetic felt

MIDSOLE

PU foam

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

OUTSOLE

Nitrile rubber, heatproof

UNDERFOOT COVER NOT AVAILABLE Fitted with a "ski boot" like shoe



WIDTH

10,5

AVAILABLE SIZES

EU: 39-46 UK: 6-11

SPECIAL NOTES

- Low temperature resistant
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic



The "Heavy Duty" line comprises 6 models of special shoes, including 4 with "Vibram®" outsoles, also available in a lined version complete with Thinsulate™ membrane for low temperatures (-20 °C).

Sharing the same specifications as high-quality climbing boots, they are made of first-rate, durable hides and fitted with lateral ankle supports, scuffcaps and front tongues for optimized width and flexion.



WIDTH

11

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Dynamic control system for lateral foot support
- Front tongue for optimized flexion
- Wide body
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7293NKK

EN 20345 S3 HRO SRC

UPPER

Greased Nubuck leather, with synthetic Oxford insets, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof, VIBRAM ®

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic antimycotic



WIDTH

11

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Dynamic control system for lateral foot support
- Front tongue for optimized flexion
- Wide body
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7294NKK

EN 20345 S3 HRO SRC

UPPER

Greased Nubuck leather, with synthetic Oxford insets, waterproof

LINING

Multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof, VIBRAM ®

UNDERFOOT COVER BLOWFEET, activated carbon latex foam, with shaped border and shock absorber, antistatic, antimycotic



WIDTH

10,5

AVAILABLE SIZES

EU: 39-47 UK: 6-12

SPECIAL NOTES

- Torsion control for lateral foot support
- Front tongue for optimized flexion
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7293RK

EN 20345 S3 HRO SRC

UPPER

Greased Nubuck leather, with abrasion-proof inset, waterproof

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

TOE CAP

Steel, 200J

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof

UNDERFOOT COVER Type FRESH PLUS, anatomically shaped, microperforated, antistatic, antimycotic



WIDTH

10,5

AVAILABLE SIZES

EU: 39-47 UK: 6-12

SPECIAL NOTES

- Torsion control for lateral foot support
- Front tongue for optimized flexion
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7294RK

EN 20345 S3 HRO SRC

UPPER

Greased Nubuck leather, with abrasion-proof inset, waterproof

LINING

Multi-ply, with 3D air tunnels

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

TOE CAP

Steel, 200J

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof



WIDTH

11

AVAILABLE SIZES EU: 38-48 UK: 5-13

SPECIAL NOTES

- Low temperature certified
- Dynamic control system for lateral foot support
- Front tongue for optimized flexion
- Wide body
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7293TKK

EN 20345 S3 HRO SRC

UPPER

Greased Nubuck leather, with synthetic Oxford insets, waterproof

LINING

Thinsulate™ membrane and multi-ply, with 3D air tunnels, with microfibre heel inset

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof, VIBRAM ®

UNDERFOOT COVER Specially designed for low temperature use, made of ALUMINIZED FELT



WIDTH

11

AVAILABLE SIZES

EU: 38-48 UK: 5-13

SPECIAL NOTES

- Low temperature certified
- Dynamic control system for lateral foot support
- Front tongue for optimized flexion
- Wide body
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7294TKK

EN 20345 S3 HRO SRC

UPPER

Greased Nubuck leather, with synthetic Oxford insets, waterproof

LINING

Thinsulate™ membrane and multi-ply lining with 3D air tunnels, with microfibre heel inset

TOE CAR

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE

Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof, VIBRAM ®

UNDERFOOT COVER Specially designed for low temperature use, made of ALUMINIZED FELT

Below we are presenting new, groundbreaking safety footwear, designed for any users who are in contact with environments where large amounts of fluids are available, on a daily basis



WIDTH

11

AVAILABLE SIZES EU: 39-47 UK: 6-12

SPECIAL NOTES

- Low temperature resistant
- Metal free
- Wide body
- Durable, contact heat resistant claw outsole
- Antistatic, antimycotic

7326NKK

EN 20345 S3 HRO

UPPER

Greased Nubuck leather, with heat sealed rubber band, waterproof

LINING

Heat sealed membrane, "trekking" type, waterproof, and multi-ply lining with 3D air tunnels

TOE CAP

Polymer material, nonmagnetic, antiallergenic, electrically insulated, 200J

PENETRATION PROOF INSOLE


Multi-ply composite fibre insole, ceramic treatment

MIDSOLE

PU foam

OUTSOLE

Nitrile rubber, heatproof



UBERUUM



The composition of state-of-the-art materials results in varied thickness for each model, thus allowing any requirements to be met and making the technical socks suitable for any climatic condition.

Outlast®: maintains proper thermal balance, thus resulting in foot wellness Coolmax®: highly breathable material, it allows rapid sweat evaporation

Dryarn®: groundbreaking, heat insulating, lightweight, highly breathable microfibre Tactel®: remarkably soft to the touch, for maximized comfort, it dries quickly MerylSkinLife®: antibacterial fibre with honeycomb structure for enhanced ventilation

7411

THICK ANKLE LENGTH SOCKS MADE OF OUTLAST® AND TERRY CLOTH

For proper thermal balance

4		i ()
1//	EU	g
S	37-39	87
M	40-42	89
L	43-45	92
XL	46-48	95



7412

THICK KNEE LENGTH SOCKS MADE OF OUTLAST® AND TERRY CLOTH

For proper thermal balance

4		ďΫ
	EU	g
S	37-39	100
M	40-42	102
L	43-45	105
XL	46-48	109



7413

ANKLE LENGTH SOCKS MADE OF TERRY CLOTH AND POLYAMIDE

Left and right foot for optimal grip

4		ŧΰ
	EU	g
S	37-39	65
M	40-42	67
L	43-45	70
XL	46-48	73



7414

KNEE LENGTH SOCKS MADE OF TERRY CLOTH AND POLYAMIDE

Left and right foot for optimal grip

		ĒΩ
	EU	g
S	37-39	85
M	40-42	88
L	43-45	91
XL	46-48	95



7415

CALZINI IN COOLMAX® E DRYARN®

Highly breathable for rapid sweat evaporation Durable insets

4		i
	EU	g
S	37-39	54
M	40-42	56
L	43-45	59
XL	46-48	62
^_	40-40	02



7416

KNEE LENGTH SOCKS MADE OF COOLMAX® AND DRYARN®

Highly breathable for rapid sweat evaporation Durable insets

	ĒΩ
EU	g
37-39	70
40-42	73
43-45	76
46-48	80
	37-39 40-42 43-45



7417

ANKLE LENGTH SOCKS MADE OF TACTEL®

Soft, for enhanced comfort, highly deabsorbing

4		i ()
	EU	g
S	37-39	25
M	40-42	27
L	43-45	29
XL	46-48	32



7418

ANKLE LENGTH SOCKS MADE OF ANTIBACTERIAL MERYL SKINLIFE®

Lightweight, ventilated, antibacterial

4		ŧΩ
	EU	g
S	37-39	25
M	40-42	27
L	43-45	29
XL	46-48	32



UBERUUL



7398TNT

SET OF 2 CARBON UNDERFOOT COVERS

EU: 35-48 UK: 2,5-13



7398A/M

SET OF 2 ANATOMICALLY SHAPED FRESH PLUS UNDERFOOT COVERS

EU: 35-48 UK: 2,5-13



7398C

SET OF 2 "LEATHER" UNDERFOOT COVERS

EU: 36-48 UK: 3,5-13



7398BF

SET OF 2 BLOWFEET UNDERFOOT COVERS

EU: 36-48 UK: 3,5-13



7398A/L

SET OF 2 LOW-TEMPERATURE UNDERFOOT COVERS, MADE OF ALUMINIZED FELT

EU: 38-48 UK: 5-13





7398ESD

SET OF 2 ANATOMICALLY SHAPED UNDERFOOT COVERS FOR ESD CERTIFIED FOOTWEAR

EU: 36-47 UK: 3,5-12





7398FT

SET OF 2 ANATOMICALLY SHAPED FUSSTATIC UNDERFOOT COVERS

EU: 36-48 UK: 3,5-13



(*)Beta







7399G/N-90

SET OF 10 PAIRS OF GREY/BLACK LACES, 90 CM



7399A/N-100

SET OF 10 PAIRS OF ORANGE/BLACK LACES, 100 CM



7399A/N-120

SET OF 10 PAIRS OF ORANGE/BLACK LACES, 120 CM



7399M-90

SET OF 10 PAIRS OF BROWN LACES, 90 CM







7399M-120

SET OF 10 PAIRS OF BROWN LACES, 120 CM







7399B-90

SET OF 10 PAIRS OF BEIGE LACES, 90 CM







7399B-120

SET OF 10 PAIRS OF BEIGE LACES, 120 CM









Beta Work means the project developed by Beta Utensili to further approach its customers' needs.

The wide tool and safety footwear ranges have been supplemented with a clothing line designed for the protection and comfort of professionals, who often have to work under harsh conditions.

"Fashionable" garments made of first-rate materials, designed to meet users' practical requirements.



⊌ Beta WORK



7552

TECHNICAL THREE-BUTTON POLO SHIRT

REFEL

 Made of polyester ho-cooling® fabric (190g/m²), a state-of-the-art material designed to absorb sweat and keep the body dry

Side vents

industrial.	
S	075520101
M	075520102
L	075520103
XL	075520104
XXL	075520105

Liduilità	
S	075520001
M	075520002
L	075520003
XL	075520004
XXL	075520005

TYTTIY	
S	075540201
M	075540202
L	075540203
XL	075540204
XXL	075540205

7554

THREE-BUTTON POLO SHIRT, LONG-SLEEVED

- Made of 100% carded pique, 220 g/m²
- Side vents

S	075540101
М	075540102
L	075540103
XL	075540104
XXL	075540105

075540001 M 075540002 075540003 ΧL 075540004 XXL 075540005

THE PERSON NAMED IN	
S	075540301
M	075540302
L	075540303
XL	075540304
XXL	075540305
(

7640

SWEATSHIRT

- · Front embroidery
- · Made of 60% cotton and 40% polyester, 320 g/m²

_	-	no call		
-	-	=	w/	
		1	V in	
	887	100		
		48		
		ø		
		2		

Beta	W		I	1
------	---	--	---	---

New

تنششا		
XS	076400000	
S	076400001	
M	076400002	
L	076400003	
XL	076400004	
XXL	076400005	
XXXL	076400006	

	7
XXXL	076400126
XXL	076400125
XL	076400124
L	076400123
M	076400122
S	076400121
XS	076400120

New

7640D

SWEATSHIRT

 Back embroidery Made of 60% cotton and 40% polyester, 320 g/m²

#Bota WIII





LIGHTWEIGHT SLEEVELESS JACKET, **MULTIPOCKET STYLE**

- Made of T/C twill, 65% polyester, 35% cotton, 180 g/m²
- · Lined with synthetic mesh

minima	
S	075550001
M	075550002
L	075550003
XL	075550004
XXL	075550005
	,

[minning	
S	075550101
M	075550102
L	075550103
XL	075550104
XXL	075550105

SAL





HEAVYWEIGHT SLEEVELESS JACKET, **MULTIPOCKET STYLE**

• Made of 100% cotton canvas,

• Lined with synthetic mesh • Phone pocket, large rear pockets, expanding front pockets, lined handwarmers

handah	
S	075660001
M	075660002
L	075660003
XL	075660004
XXL	075660005
XXXL	075660006

23.7.2	<u> </u>
S	075660301
M	075660302
L	075660303
XL	075660304
XXL	075660305
XXXL	075660306
\	

mining	
S	075660101
M	075660102
L	075660103
XL	075660104
XXL	075660105
XXXL	075660106
(ر

7595

SLEEVELESS TASLON JACKET, **WATERPROOF**

- Made of nylon, 120 g/m2, lined in antipeeling fleece, 250 g/m²
- Exterior phone pocket

			uquipri	
S	075950001	S		075950101
M	075950002	IV		075950102
L	075950003	C		075950103
XL	075950004	Х	<u>L</u>	075950104
XXL	075950005	Х	XL	075950105
(الرالر			الرال

[minhal	
S	075950101
M	075950102
L	075950103
XL	075950104
XXL	075950105



7576

SLEEVELESS TASLON JACKET, **WATERPROOF**

- Made of PU-coated nylonPadded, lined
- · Large, expanding pockets
- Waist handwarmers

Lidudia	
XS	075760100
S	075760101
M	075760102
L	075760103
XL	075760104
XXL	075760105
XXXL	075760106

[14m]m3	
XS	075760000
S	075760001
M	075760002
L	075760003
XL	075760004
XXL	075760005
XXXL	075760006
	,



7575A

SLEEVELESS RIPSTOP JACKET, WATERPROOF

- Made of PVC-coated polyester, 200 g/m²
- · Padded, lined
- · Phone pocket, large, expanding pockets, waist handwarmers

XS	075750200
S	075750201
M	075750202
L	075750203
XL	075750204
XXL	075750205
XXXL	075750206
(



SLEEVELESS FLEECE JACKET

Made of 100% 2-ply laminated fleece, 370 g/m², with antipeeling treatment

	وتباشيا	
	S	076150001
L	M	076150002
	L	076150003
	XL	076150004
	XXL	076150005

CALLED TO A	21222222
S	076150101
M	076150102
L	076150103
XL	076150104
XXL	076150105



FLEECE JACKET

• Made of 100% 2-ply laminated fleece, 360 g/m², with antipeeling treatment

233223	
XS	076210000
S	076210001
М	076210002
L	076210003
XL	076210004
XXL	076210005
XXXL	076210006

linhahad	
XS	076210100
S	076210101
M	076210102
L	076210103
XL	076210104
XXL	076210105
XXXL	076210106

SAR



7631

FLEECE PULLOVER

 Made of 100% 2-ply laminated fleece, with antipeeling treatment

XS 076310100
S 076310101
M 076310102
L 076310103
XL 076310104
XXL 076310105
XXXL 076310106

7635

MICROFLEECE PULLOVER

• Made of 100% microfleece, 180 g/m², with antipeeling treatment

injuriania	
XS	076350000
S	076350001
M	076350002
L	076350003
XL	076350004
XXL	076350005
XXXL	076350006

القالسلان	
XS	076350010
S	076350011
М	076350012
L	076350013
XL	076350014
XXL	076350015
XXXL	076350016
XXXL	076350016

New





7740

CANVAS PARKA JACKET, WATERPROOF

- · Made of brushed T/C canvas, 290 g/m²
- Padded, lined
- · Antiabrasion, tone-on-tone insets
- · Large, expanding pockets
- Elastic cuffs with strap adjusters and rubber ends

uduslad	
S	077400001
M	077400002
L	077400003
XL	077400004
XXL	077400005

	ndudad.	
	S	077400101
	M	077400102
-	L	077400103
	XL	077400104
	XXL	077400105
- 1		



7760

"RACING" JACKET, WATERPROOF

- Made of polyester / Oxford, 180 g/m², padded, lined
- Elastic cuffs with strap adjusters and rubber ends

TEIJIN® MICROFIBRE AND DUVET JACKET

Duvet 50/50, 300 g/m2
 Zip-off sleeves
 Elastic cuffs with strap
 adjusters and
 rubber ends

7732

PARKA JACKET WITH REMOVABLE INTERIOR FLEECE JACKET

- Polyester dobby
- jacket, lined
 Interior fleece jacket
- Inner fleece collar
- Elastic cuffs with strap adjusters and rubber ends

	A Total Control
indicated.	
S	077900001
M	077900002
L	077900003
XL	_077900004
XXL	077900005

077600001

077600002 077600003

077600004

077600005

М

XL

XXL

7701

PU – T/C DUSTCOAT, WATERPROOF

 Elastic cuffs with strap adjusters and rubber ends

XS 077320000 S 077320001 M 077320002 L 077320003 XL 077320004 XXL 077320005 XXXL 077320006

\$ 077010001 M 077010002 L 077010003 XL 077010004 XXL 077010005





Made of T/C twill, 65% polyester, 35% cotton, 200 g/m² T/C twill insets



⊌ Beta WORK

Made of T/C twill, 65% polyester, 35% cotton, 180 g/m² T/C ripstop insets



Made of T/C twill, 65% polyester, 35% cotton, 180 g/m² T/C ripstop insets



⊌ Beta WORK

Made of T/C twill, 65% polyester, 35% cotton, 180 g/m² T/C ripstop insets



Beta WORK

Made of T/C twill, 65% polyester, 35% cotton, 210 g/m² Oxford/PU insets, 240 g/m²



⊌ Beta WORK

Made of T/C canvas, 65% polyester, 35% cotton, 270 g/m² T/C ripstop insets





Made of T/C canvas, 65% polyester, 35% cotton, 270 g/m² Oxford/PU insets, 240 g/m²



⊌ Beta WORK

Made of T/C canvas, 65% polyester, 35% cotton, 270 g/m² Oxford/PU insets, 240 g/m²



BetaWORK

Made of 100% cotton canvas, 260 g/m² Canvas cotton insets



Beta WORK

Made of 100% cotton canvas, 260 g/m² Canvas cotton insets



Beta WORK

Made of PVC Tricot



UBetallun

















WARNINGS

PRELIMINARY CHECKS AND USE

Before using the shoes, visually check their general state - that is, the seams, the soles and the strap fastenings -; also make sure that the shoes match all the specifications on the label, and mainly if they are provided with steel toes and penetration-proof steel midsoles.

MISUSE

Prolonged and/or repeated use:

- in contact with organic agents, herbicides, pesticides and highly concentrated acids
- at very low or very high temperatures (below -10 °C and over +70 °C)
- fully dipped shoe into water, mud, mortar and alike is not recommended.

ANTISTATIC SHOES

The shoes that belong to this category are designed to allow low currents (electrostatic charges) to be discharged, to reduce the risk of combustion by vapours and/or flammable materials.

However, antistatic footwear DOES NOT protect against electric shocks, as it forms only a barrier between the foot and the support.

Therefore, additional measures are required if there is risk of electric shocks.

Where antistatic shoes are required, the electric resistance of the ground shall be such that their functions are NOT prevented from being performed, and no insulating piece must be put between the underfoot and the user's foot.

If any insole is put in, the electric behaviour of the new configuration shall be checked; this precaution shall also be taken if the shoes are subject to twisting and humidity, or if the sole is excessively worn out and/or contaminated.

In addition, it is recommended that the user should regularly perform electric resistance tests in the workplace.

NOTES

- This catalogue supersedes all previous issues.
- . No part of this catalogue may be reproduced without the prior consent of Beta Utensili S.p.A.
- Beta Utensili S.p.A. reserves the right to modify models and assortments shown in this catalogue in order to upgrade them or for any commercial and/or technical reasons without any obligation to advise on models sold previously.
- Beta Utensili S.p.A. reserves the right to withdraw from sale, for any technical and/or commercial reasons, any model from this catalogue without notice.
- All figures referring to model weights, sizes and performance in the catalogue are approximate and might be modified.
- Actual dimensions of models might vary from the illustrations in this catalogue.

WARRANTY

All Beta tools are guaranteed against faulty material or workmanship and, if returned at the customer's risk, will be repaired or replaced provided the item has been used correctly for the purpose for which it has been designed.



Beta

BETA UTENSILI S.P.A. 20050 Sovico (MB) Italy - Via Volta, 18 Tel. 039.2077.1 - info@beta-tools.com www.betawork.com - www.beta-tools.com

